

## Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO36008	Receipt Dates from 5/3/2017 to 5/3/2017
<p>           All Vendors            PO ID PO36008            Receipt Dates from 5/3/2017 to 5/3/2017         </p>		

Total Received Quantity:	108.0000
Total Qty to Inspect (PO U/M):	0.0000
Total Reject Quantity:	0.0000
Total Receipt Value:	\$487.66
Total Balance Due Quantity:	0.0000

## B I L L O F L A D I N G

No: PEC 43009

Ship From:  
 THYSSENKRUPP MATERIALS NA  
 2821 LANGSTAFF ROAD  
 CONCORD, ONTARIO L4K 5C6  
 Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 01May17 at 11:03 From PFW  
 Probill

Via VIM DELIVERY

FOB CONCORD

Frt PREPAID

Route 0- 0 Manifest

Vhcle Trailer

Slp STAN IVERS (905-532-1350)

Sold To: ( 20115)

DART AEROSPACE

1270 ABERDEEN ST

HAWKESBURY, ON K6A 1K7

Ship To: ( 1)

DART AEROSPACE

1270 ABERDEEN ST

HAWKESBURY, ON K6A 1K7

Tel: 613-632-9577 Fax: 613-632-1053

## B I L L O F L A D I N G

1) Our Order PEC- 41399- 1 Your PO # 36008

ALUMINUM SHEET 2024 -T3

.0320 Nom X 48.0000" X 144.0000"

Heat Number

Tag No

Quantity

PCS

Wt LBS

206857B5

644711

96.00 SFT

2

44

2) Our Order PEC- 41399- 2 Your PO # 36008

ALUMINUM PLATE 7075-T651

.375" THICK X 8.0000" X 144.0000"

Heat Number

Tag No

Quantity

PCS

Wt LBS

205967B3

688071

8.03 SFT

1

44

TOTAL:

Tags

2

PCS

3

LBS

88

\*\*\*\* ADD ON TO 41343 SUR-CHARGE ADDED \*\*\*\*

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT  
 WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR  
 TO SHIPPING.

ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*

\*\* REFERENCED ON IT \*\*

TOTAL 1 BDL, 1 SKID GW. 335 LBS

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA  
 CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\*

Page: 1 ....Continued

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX  
 ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

## B I L L O F L A D I N G

No: PEC 43009

Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 01May17 at 11:03 From PFW  
Probill  
Via VIM DELIVERY  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp STAN IVERS (905-532-1350)  
Sold To: ( 20115)  
DART AEROSPACE

Ship To: ( 1)  
DART AEROSPACE

## B I L L O F L A D I N G

\*\*\*\* TEL. 800-926-2600 \*\*\*\*

\*\*\*\*\*

\* WE STOCK STAINLESS STEEL \*

\* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*

\*\*\*\*\*

\*\*\*PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE  
ADDED TO EVERY ORDER.\*\*\*

\*\*\*\*\*

\*\*\*UNE SURCHARGE D'ENERGIE DE \$25.00

SERA AJOUTEE A CHAQUE COMMANDE.\*\*\*

\*\*\*POUR VOS BESOINS D'ACIER INOXYDABLE,

\*CONTACTEZ-NOUS. NOUS L'AVONS! TEL. 800-926-2600\*

Page: 2 .... Last

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX  
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

SHIP TO: YARDE METALS-SOUTHINGTON 189 NEWELL STREET SOUTHINGTON, CT 06489
SOLD TO: YARDE METALS 45 NEWELL ST. SOUTHINGTON, CT 06489

**KAISER  
ALUMINUM**  
Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number

4447496

CUSTOMER PO NUMBER: P61208HC001-1	WORK PACKAGE:	CUSTOMER PART NUMBER:	SHIP RUN/LOAD: 103800/8	GOVT CONTRACT NUMBER:
KAISER ORDER NO: 1227441-1	SHIP DATE: 12-JAN-2017	ALLOY: 2024	CLAD: BARE	TEMPER: T3
PRODUCT DESCRIPTION: HT Coil	WEIGHT SHIPPED: 3720 LB	QUANTITY: 1 PCS EST	TRUCK B/L #: 2064604	GAUGE: 0.0320 IN (0.8128 MM)
DIA/METER/WIDTH: 48.000 IN (1219.2 MM)	LENGTH: COIL			

MHU 2078137: LOT 206857B5: 1 pieces;

### Certified Specifications

AMS 4037/RevQ  
CMMP 019/RevD

AMS-QQ-A-250/4/RevB  
CMMP 025/RevV

ASTM B 209/Rev14

Test Code: 1504

Lot: 206857B5 Cast 342

Drop 59

Test Results

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T3	LT / 2 (Min:Max)	66.8 : 67.6 (461 : 466)	46.0 : 47.3 (317 : 326)	15.3 : 16.6

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.13	4.6	0.62	1.3	0.01	0.08	0.02	0.01	0.01	TOT 0.05

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
2024												
MIN(wt%)	0.00	0.00	3.8	0.30	1.2	0.00	0.00	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.50	0.50	4.9	0.9	1.8	0.10	0.25	0.15	0.05	0.05	TOT	0.15

Aluminum Remainder

Page 1 of 2

YARDE METALS Inc 03-10-17

S70309CM007-1 COPPER & BRASS PO: 5400343418-R01 Part #:  
121.00PC 2624.00LB

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS CA LTD

Del.: 2405170715

CstAr

CstOr 282940

Wgt.: 44.237 LB

Date 04/20/2017

*Thomas Sanchez*




Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4447496

YARDE METALS, INC. CERTIFIES THAT  
THIS IS A TRUE COPY OF THE ORIGINAL  
MILL TEST REPORT NOW ON FILE.  
RECEIVED AND INSPECTED

JAN 19 2017

BY   
Kate Vincent, Certification Processor

### CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- \* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- \* All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- \* was melted in the United States of America or a qualifying country per DFARS 225.672-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- \* has been thermally processed in compliance with AMS 2772, where applicable.
- \* is mercury free, within the limits of detection of ASTM E1215 ( $\leq 1$  ppm).
- \* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- \* is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1807/2006, and Kaiser regularly monitors these regulations for updates.
- \* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- \* is free of weld repair.
- \* meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

Page 2 of 2

YARDE METALS Inc 03-10-17

S70309CM007-1 COPPER & BRASS PO: 5400343418-R01 Part #:  
121.00PC 2624.00LB

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS CA LTD

CstAr

Wgt.: 44.237 LB

Del.: 2405170715

CstOr 282940

Date 04/20/2017





# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Kaiser Aluminum  
Trentwood Works  
Spokane, WA 99215-5108  
(800) 367-2586

CUSTOMER PO NUMBER: 540033344-50		WORK PACKAGE:	CUSTOMER PART NUMBER: ALFLR00984-60.5		PRODUCT DESCRIPTION: Sawed Plate
KAISER ORDER NUMBER: 1228334	LINE ITEM: 5	SHIP DATE: 01/20/2017	ALLOY: 7075	CLAD: BARE	TEMPER: T651
WEIGHT SHIPPED: 4518 LB	QUANTITY: 13 PCS EST.	B/L NUMBER: 2064757	GUAGE: 0.3750 IN	WIDTH: 60.500 IN	LENGTH: 144.500 IN
SHIP TO:  COPPER & BRASS 1015 SAINT JEROME ST. MISHAWAKA, IN 46544 US			SOLD TO:  COPPER & BRASS SALES ATTN: ACCOUNTS PAYABLE P.O. Box 5116 SOUTHFIELD, MI 48086 US		

MHU 2077699: LOT 205967B3: 13 pieces

### Certified Specifications

AMS 4045/RevL AMS-QQ-A-250/12/RevA ASTM B 209/Rev14

Test Code: 1512

### Test Results:

LOT: 205967B3 CAST: 351 DROP: 19 INGOT: 1

Melted in USA  
(ASTM E8/B557)  
(EN 2002-1)

Tensile:	Temper	Dir/#Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 02 (Min:Max)	86.1 : 86.2 (594 : 594)	76.7 : 77.1 (529 : 532)	13.0 : 13.0

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.07	0.15	1.4	0.03	2.6	0.20	5.7	0.03	0.01	0.02	TOT 0.05

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
7075	MIN 0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	MAX 0.05
	MAX 0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT 0.15

Aluminum Remainder

Plant Serial: 4448506

Kaiser Order Number: 1228334

Line Item: 5

Page 1 of 2

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS CA LTD

Del.: 2405177446

CstAr

CstOr 282940

Wgt.: 44 LB

Date 04/25/2017

*Thomas Sanchez*

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

Kaiser Aluminum  
Trentwood Works  
Spokane, WA 99215-5108  
(800) 367-2586

**CERTIFICATION**

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order: \* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture. \* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. \* has been thermally processed in compliance with AMS 2772, where applicable. \* is mercury free, within the limits of detection of ASTM E1215 (<1ppm). \* is in compliance with RoHS 2, European Union Directive 2011/65/EU. \* is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates. \* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act. \* is free of weld repair. \* meets the reporting requirements of EN10204, Type 3.1. Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR



Plant Serial: 4448506

Kaiser Order Number: 1228334

Line Item: 5

Page 2 of 2

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS CA LTD

Del.: 2405177446

CstAr

CstOr 282940

Wgt.: 44 LB

Date 04/25/2017



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M2024135032  
 DATE: MAY 04 2017

PO / BATCH NO.: P036008/M137435

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 9659ft  
 QUANTITY INSPECTED: 9659ft  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .032  
 THICKNESS RECEIVED: .030  
 SHEET SIZE ORDERED: 4x12  
 SHEET SIZE RECEIVED: 4x12

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	
CORRECT REF # TO LINK CERT	(Y) N	<u>ASTM B209</u>
CORRECT MATERIAL IDENTIFICATION	(Y) N	<u>HF # 206857B5</u>
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

<b>QC 18 INSPECTION</b>		<b>ENGINEERING SIGNOFF (if required)</b>	
INSPECTED BY: <u>EB</u>	SIGNED OFF BY: _____		
DATE: <u>MAY 04 2017</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M707576D3375X8.000  
 DATE: MAY 04 2017

PO / BATCH NO.: 0036008/M137435

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 12  
 QUANTITY INSPECTED: 12  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .375  
 THICKNESS RECEIVED: .383  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	AMS-QQ-A-250
CORRECT REF # TO LINK CERT	(Y) N	H7 # 205967B3
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

## QC 18 INSPECTION

## ENGINEERING SIGNOFF (if required)

INSPECTED BY: CB <sup>DAS</sup>  
 DATE: MAY 04 2017

SIGNED OFF BY: \_\_\_\_\_  
 DATE: \_\_\_\_\_

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO36008

Purchase Order Date 4/19/2017

PO Print Date 4/19/2017

Page Number 1 of 4

Order From :

VC-COP001

Ship To : DART AEROSPACE LTD

THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"  
TORONTO, ON M5W 5V8  
CA

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA



APR 19 2017

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M174R0.750 ✓	17-4 round bar .750 ✓	4/24/2017 Yes 4/24/2017		24.00 ✓ f	\$7.83	\$187.96
17-4PH/S17400/TYPE 630 SS ROUND BAR PER AMS 5643/ASTM A564 GRAIN MUST BE ALONG LENGTH OF BAR. MINIMUM YIELD TENSILE STRENGTH = 100KSI MINIMUM ULTIMATE TENSILE STRENGTH = 150 KSI							
Line Total:							\$187.96
2	M2024T3S.032 ✓	2024-T3 .032 sheet ✓	4/24/2017 Yes 4/24/2017		96.00 ✓ sf	\$3.16	\$303.70
MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209							
Line Total:							\$303.70

PO Instructions: QUOTATION: PEC ST-40905

Note:

4/19/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO36008**

Purchase Order Date 4/19/2017

PO Print Date 4/19/2017

Page Number 2 of 4

Order From : VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"  
TORONTO, ON M5W 5V8  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

3	M304S16GA	304/316 Sheet .063	4/24/2017	64.00	\$5.53	\$354.22
			Yes	sf		
			4/24/2017			

PURCHASE MATERIAL: AISI 304/316 SS SHEET  
ANNEALED  
SPECIFICATION: MIL-S-5059  
OR AMS 5513 (304)  
OR AMS 5524 (316)  
ORASTMA240  
OR ASME SA240

Line Total: \$354.22

4	M6061T6B1.250X04.500	6061-T6 Bar 1.25 X 4.50	4/24/2017	12.00	\$15.80	\$189.60
			Yes	f		
			4/24/2017			

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR  
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR  
ASTM B221

Line Total: \$189.60

80174-24

PO Instructions: QUOTATION: PEC ST-40905

Note:

4/19/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO36008

Purchase Order Date 4/19/2017

PO Print Date 4/19/2017

Page Number 3 of 4

Order From : VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"  
TORONTO, ON M5W 5V8  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

5 M6061T6B2.000X02.000 6061-T6 Bar 2.00 x 2.00 4/24/2017  
Yes  
4/24/2017

12.00 \$11.20 \$134.40  
f

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR  
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR  
ASTM B221

Line Total: \$134.40

6 M6061T6B4.500X4.500 6061-T6 Aluminum Bar 4/24/2017  
4.500" X 4.500" No  
4/24/2017

4.00 \$79.02 \$316.09  
f

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR  
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR  
ASTM B221

Line Total: \$316.09

PO Instructions: QUOTATION: PEC ST-40905

Note:

4/19/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO36008**

Purchase Order Date 4/19/2017

PO Print Date 4/19/2017

Page Number 4 of 4

**Order From :**

VC-COP001

**Ship To :** DART AEROSPACE LTD

THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"  
TORONTO, ON M5W 5V8  
CA

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone**

905 669 9444

**Ship To Contact**

**Ship To Phone**

**Ship Via:**

VENDOR'S TRUCK

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #**

10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

FCA - (Free Carrier)

7	M7075T6B0.375X8.000	7075-T6 Plate 0.375" X 8.000", QQ-A 250/12	4/26/2017	FN	12.00	30.21	362.50
---	---------------------	--	-----------	----	-------	-------	--------

Yes

f

4/26/2017

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

817-5-4

Line Total:

\$362.50

8 71401-45

PROCUREMENT  
QUALITY CLAUSES

4/24/2017

1.00

\$0.00

\$0.00

**Procurement Quality Clauses**

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

No

4/24/2017

817-4-24

Line Total:

\$0.00

PO Total:

\$1,848.47

**PO Instructions:** QUOTATION: PEC ST-40905

**Note:** Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 2

Change Date: 4/19/2017